Huntsville Algonquin Theatre

Updated Oct 2024

CONSOLES AND DIMMING				
Light Control - Main Note:	1	ETC ION XE 20 with 20 Channel Fader Wing		
Lighting booth is located at Balcony Level in Control Room.	1	22" Touch Screen		
	1	24" Touch Screen		
	1	ETC NET3 radio remote focus unit		
Light Control - Back-up	1	ETC ION 1024 with 40 Channel Fader Wing		
	1	22" Touch Screen		
	1	22" LCD Screen		
	1	ETC NET3 radio remote focus unit		
Dimming Note:	44	ETC D15A dual 1.8kw dimmer module (4 modules used for House Lighting)		
1024 Channels/2 DMX Universes Universe 1 -	34	ETC D20A dual 2.4kw dimmer module		
Conventional Fixtures Universe 2 - Intelligent	2	ETC Relay Module - Dual 20A		
Fixtures	2	ETC Sensor+ SR48+ Rack, 800A, 120/240VAC, 3 phase		
	2	ETC CEM+ Control Electronics Module		
LIGHTING FIXTURES - CONVENTIONAL				
Conventional Lighting Fixtures	24	26 degree ETC Source Four ellipsoidal - 750w		
Note: All luminaries have 15A uground plugs complete w/c-clamp, gel frame, safety chain.	26	36 degree ETC Source Four ellipsoidal - 750w		
	2	50 degree ETC Source Four JR ellipsoidal - 750w		
	8	25-50 degree ETC Source Four Zoom ellipsoidal - 750w		
	1	15-30 degree ETC Source Four Zoom ellipsoidal - 750w		

	1	25-50 degree ETC Source Four Zoom Jr.
		ellipsoidal - 750w
	32	ETC Source Four PARS - 750w
	12	Colortran 6" Theatre Fresnel - 1000w
	6	Selecon Aurora 3 cell cyc light - 1000w
Spot Light	1	Lycain Midget II , 750w, 6 colour boomerang Located in lighting booth at rear of theatre, balcony level . Approx. 60ft throw to DSC at 25 degrees. 8.25ft diameter at 60ft.
AUTOMATED LIGHTI	NG AND L	.ED LIGHTING
	_	
Moving Head	4	Elation Design Spot 250 Pro (16 channel) Hung centre stage on box truss w/chain motors)
	6	ADJ Focus Spot 5Z Movers (on centre stage box truss)
LED Fixtures (RGB)	9	Elation DLED Par Zoom (8 channel) 5 on DS lx pipe, 5 on US lx pipe for stage top wash's.
	8	ETC Source 4WRD ll RGBA LED
DMX FIXTURE ATTACHI	MENTS AN	ND ACCESSORIES
DMX Fixture Attachments and Accessories	12	Scrollers - Spectra Q3, 16 Frame (1ch)
	8	ROSCO I-Cue Mirror - Pan/Tilt (2ch) (4 on DS lx pipe, 4 on US lx pipe. Mounted on Source 4, 26 degree ellipsoidals)
	4	DMX Iris - City Theatrical (1ch) (Mounted in DS S4 26 degree ellipsoidals with the I-Cues)
	3	Chroma Q PS08 Power Supply 8-way
	1	XND-4B5 +Swisson 4-port Ethernet DMX Node
	3	ETC NET2 DMX Nodes Ethernet Ports located in various locations through out the theatre (NET2)

LIGHTING ACCESSORIES AND FX				
Lighting Accessories	12	Barn Doors for Colortran 6" Theatre Fresnel		
	12	Manual Iris for Source Four ellipsoidal		
	12	ETC Source Four Pattern Holder		
	2	ETC Source Four Glass Gobo Holder		
	6	Floor Base for S4 Fixtures		
	2	19 degree - Source 4 Leko lens		
	2	50 degree - Source 4 Leko lens		
	ASST	Rosco Gobos		
	ASST	Rosco Colour Gels		
Hazing/Fog Fx	1	Radiance Hazer CLF2460 - Le Maitre		
		Hazer fluid type: Neutron Haze Fluid (Water Based)		
Cabling	ASST	3-pin XLR Data cables		
	ASST	4-pin XLR Data/power cables		
	ASST	5-pin XLR Data cables		
	ASST	CLT Socapex cables		
	ASST	CLT Socapex Splays with 15 amp uground tails		
	ASST	Uground 15A black extension cables		
	6	Adaptors - Male 20 amp TLG to Female		
		15amp uground		
RIGG	ING			
Truss	5	8ft by 12inch Box Truss (Currently 32' of box truss is flown at centre stage with 4 moving lights)		
Chain Motors	2	CM 1/2 Ton Motor - 120 volt, Black, Inverted, w/swivel hook Model # 9443-S with 40' of lift.		
Pipes	ASST	Assorted 8' to 24' pipes		
Slings	4	8' Slings		
Spansets	6	8' Spansets		
Sand Bags	10	25lb Theatre Sand Bags		